



UNITED STATES PATENT AND TRADEMARK OFFICE

Commissioner for Patents
United States Patent and Trademark Office
P.O. Box 1450
Alexandria, VA 22313-1450
www.uspto.gov

July 20, 2010

Frank J. Uxa
Stout, Uxa, Buyan & Mullins
4 Venture, Suite 300
Irvine, CA 92618

Patent No: 7,625,427 B2
Application No: 10/536,659
Applicant: Michael John Clarke, et al.
Issued: December 1, 2009
Title: **APPARATUS AND PROCESS FOR CARBON DIOXIDE ABSORPTION**

Request for Certificate Of Correction:

Consideration has been given to your request for the issuance of a certificate of correction for the above- identified patent under the provisions of Rule 1.322.

Inspection of the file for the patent reveals that column 1, line 19, in the patent is printed in accordance with the record in the Patent & Trademark Office as passed to issue by the examiner. There being no fault on the part of the Patent and Trademark Office, it has no authority to issue a certificate of correction under the provision of 1.322.

In view of the foregoing your request in this matter is hereby **denied**.

Further correspondence concerning this matter should be filed and directed to Decisions & Certificated of Correction Branch.

/Virginia Tolbert/
Virginia Tolbert
For Mary Diggs, Supervisor
Decisions and Certificate of Correction
(571) 272-0460 (voice)
(571) 270-9892 (fax)

vt

6/24